recombinant 8 syndrome

Recombinant 8 syndrome is a condition that involves heart and urinary tract abnormalities, moderate to severe intellectual disability, and a distinctive facial appearance. The characteristic facial features include a wide, square face; a thin upper lip; a downturned mouth; a small chin (micrognathia); wide-set eyes (hypertelorism); and low-set or unusually shaped ears. People with recombinant 8 syndrome may have overgrowth of the gums (gingival hyperplasia) and abnormal tooth development. Males with this condition frequently have undescended testes (cryptorchidism). Some affected individuals have recurrent ear infections (otitis media) or hearing loss. Many children with recombinant 8 syndrome do not survive past early childhood, usually due to complications related to their heart abnormalities.

Frequency

Recombinant 8 syndrome is a rare condition; its exact incidence is unknown. Most people with this condition are descended from a Hispanic population originating in the San Luis Valley area of southern Colorado and northern New Mexico. Recombinant 8 syndrome is also called San Luis Valley syndrome. Only a few cases outside this population have been found.

Genetic Changes

Recombinant 8 syndrome is caused by a rearrangement of chromosome 8 that results in a deletion of a piece of the short (p) arm and a duplication of a piece of the long (q) arm. The deletion and duplication result in the recombinant 8 chromosome. The signs and symptoms of recombinant 8 syndrome are related to the loss and addition of genetic material on these regions of chromosome 8. Researchers are working to determine which genes are involved in the deletion and duplication on chromosome 8.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the recombinant chromosome 8 in each cell is sufficient to cause the disorder.

Most people with recombinant 8 syndrome have at least one parent with a change in chromosome 8 called an inversion. An inversion involves the breakage of a chromosome in two places; the resulting piece of DNA is reversed and reinserted into the chromosome. Genetic material is typically not lost as a result of this inversion in chromosome 8, so people usually do not have any related health problems. However, genetic material can be lost or duplicated when inversions are being passed to the next

generation. People with this chromosome 8 inversion are at of risk having a child with recombinant 8 syndrome.

Other Names for This Condition

- rec(8) syndrome
- recombinant chromosome 8 syndrome
- San Luis Valley syndrome

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Recombinant chromosome 8 syndrome https://www.ncbi.nlm.nih.gov/gtr/conditions/C0795822/

General Information from MedlinePlus

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

- Health Topic: Congenital Heart Defects https://medlineplus.gov/congenitalheartdefects.html
- Health Topic: Tooth Disorders https://medlineplus.gov/toothdisorders.html

Genetic and Rare Diseases Information Center

 Recombinant chromosome 8 syndrome https://rarediseases.info.nih.gov/diseases/9698/recombinant-chromosome-8-syndrome

Educational Resources

- Disease InfoSearch: Recombinant chromosome 8 syndrome http://www.diseaseinfosearch.org/Recombinant+chromosome+8+syndrome/6168
- MalaCards: recombinant 8 syndrome http://www.malacards.org/card/recombinant_8_syndrome
- Orphanet: Recombinant 8 syndrome http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=96167

Patient Support and Advocacy Resources

- Chromosome Disorder Outreach http://chromodisorder.org/
- Unique: Rare Chromosome Disorder Support Group http://www.rarechromo.org/html/home.asp

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28recombinant+8+syndrome %5BTIAB%5D%29+OR+%28recombinant+chromosome+8+syndrome%5BTIAB %5D%29+OR+%28rec+8+syndrome%5BTIAB%5D%29%29+AND+english%5Bla %5D+AND+human%5Bmh%5D

OMIM

 RECOMBINANT CHROMOSOME 8 SYNDROME http://omim.org/entry/179613

Sources for This Summary

- Graw SL, Sample T, Bleskan J, Sujansky E, Patterson D. Cloning, sequencing, and analysis of inv8 chromosome breakpoints associated with recombinant 8 syndrome. Am J Hum Genet. 2000 Mar; 66(3):1138-44.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/10712224
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1288148/
- Smith AC, Spuhler K, Williams TM, McConnell T, Sujansky E, Robinson A. Genetic risk for recombinant 8 syndrome and the transmission rate of balanced inversion 8 in the Hispanic population of the southwestern United States. Am J Hum Genet. 1987 Dec;41(6):1083-103. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/3687942

 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1684361/

- Sujansky E, Smith AC, Prescott KE, Freehauf CL, Clericuzio C, Robinson A. Natural history of the recombinant (8) syndrome. Am J Med Genet. 1993 Sep 15;47(4):512-25.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/8256815
- Williams TM, McConnell TS, Martinez F Jr, Smith AC, Sujansky E. Clinicopathologic and dysmorphic findings in recombinant chromosome 8 syndrome. Hum Pathol. 1984 Nov;15(11): 1080-4.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/6490002

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/recombinant-8-syndrome

Reviewed: April 2009

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services